KEY WORD INDEX

ADCC
Nonspecific cytotoxicity; Ca^{2+} availability; Cytoskeleton; Phospholipases activation (Giordano, M., 109)

AIDS
AIDS related complex; CD1 phenotype; Peripheral blood mononuclear cells (Chollet-Martin, S., 53)

AIDS related complex
AIDS; CD1 phenotype; Peripheral blood mononuclear cells (Chollet-Martin, S., 53)

Abortion, spontaneous
T cell; Maternal recognition (Wegmann, T. G., 297)

Accessibility
Antigenicity of proteins; Prediction of epitopes; Hydrophilicity; Segmental mobility (Van Regenmortel, M. H. V., 95)

Accessory cells
Cytokine; IFN-γ; Colony stimulating factor; Ia expression (Steinman, R. M., 197)

Affinity
Monoclonal antibody; IgG subclasses (Phillips, D. J., 159)

Allergen
Protein fragmentation; IgE; IgG; T lymphocytes; Immunotherapy (Cottam, G. P., 345)

Allogeneic mixed lymphocyte reaction
MRL/1 mice; Dendritic cells; Antigen-presenting activity (Akira, I., 223)

anti-DNA Antibody
Autoimmunity; Autoimmune disease; Autoantibodies; Idiotypes; SLE (Shoenfeld, Y., 285)

Anti-Tac antibody
Interleukin 2 receptor; Propranolol; Beta-adrenoceptor antagonist (Malec, P., 319)

Anti-drug antibody
Filariasis; *Wuchereria bancrofti;* Diethylcarbamazine; Surface antigen (Ravindran, B., 7)

Antibody Fc
T. cruzi; Immune clearance (Umekita, L. F., 85)

Antigen binding
IgG; Immunosuppression; ELISA (Heymann, B., 189)

Antigen specificity
Human T cell clone; Interleukin 2 receptor; Differential regulation (Sia, D. Y., 13)

Antigen-presenting activity
MRL/1 mice; Dendritic cells; Allogeneic mixed lymphocyte reaction (Akira, I., 223)

Antigenicity of proteins
Prediction of epitopes; Hydrophilicity; Segmental mobility; Accessibility (Van Regenmortel, M. H. V., 95)

Autoantibodies
anti-DNA Antibody; Autoimmunity; Autoimmune disease; Idiotypes; SLE (Shoenfeld, Y., 285)

Autoimmune disease
anti-DNA Antibody; Autoimmunity; Autoantibodies; Idiotypes; SLE (Shoenfeld, Y., 285)

Autoimmunity
anti-DNA Antibody; Autoimmune disease; Autoantibodies; Idiotypes; SLE (Shoenfeld, Y., 285)

B cell stimulatory factor 2
Interferon-β2; Interleukin 6 (Hirano, T., 41)

B lymphocyte activation
Limiting dilution; Isotype diversity; High/low responders (Dosch, H.-M., 125)

B-cell phenotype
Complement-mediated cytolysis; CD19 and CD 20 antigen; Cell cycle analysis (Kiesel, S., 241)

B-chain of Clq
Mouse; Complement; Signal peptide; EHS tumor; DNA sequencing (Wood, L., 59)

Beta-adrenoceptor antagonist
Interleukin 2 receptor; Anti-Tac antibody; Propranolol (Malec, P., 319)

CD1 phenotype
AIDS; AIDS related complex; Peripheral blood mononuclear cells (Chollet-Martin, S., 53)

CD19 and CD 20 antigen
Complement-mediated cytolysis; B-cell phenotype; Cell cycle analysis (Kiesel, S., 241)

Ca^{2+} availability
Nonspecific cytotoxicity; ADCC; Cytoskeleton; Phospholipases activation (Giordano, M., 109)

Calcitriol
Interferon gamma; Immune response; Staphylococcal enterotoxin A; Lymphocytes (Muscettola, M., 121)

Carbohydrates
Immunoglobulin M; Spin label method (Timofeev, V. P., 173)

Cat allergens
Monoclonal antibodies; Cat allergy (Duffort, O., 71)

Cat allergy
Monoclonal antibodies; Cat allergens (Duffort, O., 71)

Celiac disease
Gliadin; Monoclonal antibodies (Stoyanov, S., 335)

Cell cycle analysis
Complement-mediated cytolysis; B-cell phenotype; CD19 and CD 20 antigen (Kiesel, S., 241)

Cell-mediated immunity
Leukocyte adherence inhibition; Serum blocking factors; Protein A (Tsang, P. H., 63)

Chagas' disease
Trypanosoma cruzi; Interleukin 2; Immunosuppression (Tarleton, R. L., 229)
Circulating tumor-associated antigen
Xenotransplant-bearing mouse; Tumor-associated antigen-specific monoclonal antibody; In vitro immunization (Sproll, M. W., 29)
Class I MHC antigens
Interferon; Natural killer cell (Reiter, Z., 323)
Colony formation activities
Human embryo fibroblast (Okai, Y., 1)
Colony stimulating factor
Accessory cells; Cytokine; IFN-γ; Ia expression (Steinman, R. M., 197)
Complement
Mouse; B-chain of Clq; Signal peptide; EHS tumor; DNA sequencing (Wood, L., 59)
Complement-mediated cytolysis
B-cell phenotype; CD19 and CD 20 antigen; Cell cycle analysis (Kiesel, S., 241)
Complement
Primary biliary cirrhosis (Willson, R. A., 303)
Cosmid library
Nucleotide sequence (Zong, S. Q., 329)
Cyclosporin A
S. mansoni; Rats; Lymphocyte subsets (Thomson, A. W., 169)
Cyclophosphamide
Donor-specific blood transfusion; Graft survival; Immunosuppression (Lasek, W., 357)
Cytokine
Accessory cells; IFN-γ; Colony stimulating factor; Ia expression (Steinman, R. M., 197)
Cytoskeleton
Nonspecific cytotoxicity; ADCC; Ca^{2+} availability; Phospholipases activation (Giordano, M., 109)
Cytotoxicity
Ricin toxin; Hybrid antibody; Survival time (Moţa, G., 177)

DNA sequencing
Mouse; Complement; B-chain of Clq; Signal peptide; EHS tumor (Wood, L., 59)
Dendritic cells
MRL/1 mice; Antigen-presenting activity; Allogeneic mixed lymphocyte reaction (Akira, I., 223)
Dietary fat
T and B lymphocytes; Mice; Linoleic acid; Fatty acids (Tiwari, R. K., 151)
Dietary restriction
Mouse; T cell functions (Hishinuma, K., 351)
Diethylcarbamazine
Filariasis; *Wuchereria bancrofti;* Anti-drug antibody; Surface antigen (Ravindran, B., 7)
Differential regulation
Human T cell clone; Antigen specificity; Interleukin 2 receptor (Sia, D. Y., 13)
Donor-specific blood transfusion
Graft survival; Cyclophosphamide; Immunosuppression (Lasek, W., 357)

1α,25-Dihydroxycholecalciferol
Vitamin D_3 analogue; Interleukin 1 inhibitor; Interleukin 2 (Muller, K., 361)

EBV nuclear antigen (EBNA)
Systemic lupus erythematosus (SLE); Epstein-Barr virus (EBV) (Kitagawa, H., 249)
ECM
Macrophage-activating factors; Human embryo fibroblasts (Okai, Y., 145)
EHS tumor
Mouse; Complement; B-chain of Clq; Signal peptide; DNA sequencing (Wood, L., 59)
ELISA
IgG; Immunosuppression; Antigen binding (Heymann, B., 189)
ELISA
Tumor necrosis factor; Monoclonal antibodies; Peptides; Endotoxic shock (Shimamoto, Y., 311)
ELISA assay
Murine monoclonal IgM; Lysozyme loop peptide; Isotype restriction (Verschoor, J. A., 21)
Endothelium
Interferon; TNF; IL-1; MHC class I; MHC class II (Male, D., 267)
Endotoxic shock
Tumor necrosis factor; Monoclonal antibodies; Peptides; ELISA (Shimamoto, Y., 311)
Endotoxin
Neutrophil chemotaxis; Random and directed movements (Bogar, L., 211)
Epstein-Barr virus (EBV)
Systemic lupus erythematosus (SLE); EBV nuclear antigen (EBNA) (Kitagawa, H., 249)

Fatty acids
Dietary fat; T and B lymphocytes; Mice; Linoleic acid (Tiwari, R. K., 151)
Filariasis
Wuchereria bancrofti; Diethylcarbamazine; Anti-drug antibody; Surface antigen (Ravindran, B., 7)
Gliadin
Monoclonal antibodies; Celiac disease (Stoyanov, S., 335)
Graft survival
Donor-specific blood transfusion; Cyclophosphamide; Immunosuppression (Lasek, W., 357)

H-2K transfection
Natural killer cells; Metastasis (Gopas, J., 261)
Heart contractility
IL-2; IL-2–AA synergy; IL-2–A 23187 synergy (Fink, S., 183)
High/low responders
B lymphocyte activation; Limiting dilution; Isotype diversity (Dosch, H.-M., 125)
Human T cell clone
Antigen specificity; Interleukin 2 receptor; Differential regulation (Sia, D. Y., 13)
Human embryo fibroblast
Colony formation activities (Okai, Y., 1)

Human embryo fibroblasts
Macrophage-activating factors; ECM (Okai, Y., 145)
Hybrid antibody
Ricin toxin; Cytotoxicity; Survival time (Moţa, G., 177)
Hydrophilicity
Antigenicity of proteins; Prediction of epitopes; Segmental mobility; Accessibility (Van Regenmortel, M. H. V., 95)

IDDM
Lymphocyte subclasses; Insulin induced proliferation (Scheinin, T., 273)
IFN-α
Lymphocyte; IL-2 production; IFN-β; IFN-γ (Ohno, Y., 339)
IFN-β
Lymphocyte; IL-2 production; IFN-α; IFN-γ (Ohno, Y., 339)
IFN-γ
Lymphocyte; IL-2 production; IFN-α; IFN-β (Ohno, Y., 339)
IFN-γ
Accessory cells; Cytokine; Colony stimulating factor; Ia expression (Steinman, R. M., 197)
IL-1
Endothelium; Interferon; TNF; MHC class I; MHC class II (Male, D., 267)
IL-2
Heart contractility; IL-2–AA synergy; IL-2–A 23187 synergy (Fink, S., 183)
IL-2 production
Lymphocyte; IFN-α; IFN-β; IFN-γ (Ohno, Y., 339)
IL-2–A 23187 synergy
IL-2; Heart contractility; IL-2–AA synergy (Fink, S., 183)
IL-2–AA synergy
IL-2; Heart contractility; IL-2–A 23187 synergy (Fink, S., 183)
Ia expression
Accessory cells; Cytokine; IFN-γ; Colony stimulating factor (Steinman, R. M., 197)
Idiotypes
anti-DNA Antibody; Autoimmunity; Autoimmune disease; Autoantibodies; SLE (Shoenfeld, Y., 285)
Ig antibodies
Immunoglobulin isotype expression; Immune complex (Bruderer, U., 235)
IgE
Allergen; Protein fragmentation; IgG; T lymphocytes; Immunotherapy (Cottam, G. P., 345)
IgG
Immunosuppression; ELISA; Antigen binding (Heymann, B., 189)
IgG
Allergen; Protein fragmentation; IgE; T lymphocytes; Immunotherapy (Cottam, G. P., 345)
IgG subclasses
Affinity; Monoclonal antibody (Phillips, D. J., 159)
Immune clearance
T. cruzi; Antibody Fc (Umekita, L. F., 85)
Immune complex
Immunoglobulin isotype expression; Ig antibodies (Bruderer, U., 235)
Immune response
Calcitriol; Interferon gamma; Staphylococcal enterotoxin A; Lymphocytes (Muscettola, M., 121)
Immunoglobulin M
Carbohydrates; Spin label method (Timofeev, V. P., 173)
Immunoglobulin isotype expression
Immune complex; Ig antibodies (Bruderer, U., 235)
Immunosuppression
Trauma; Trauma peptide; Prostaglandin E (Ozkan, A. N., 79)
Immunosuppression
IgG; ELISA; Antigen binding (Heymann, B., 189)
Immunosuppression
Trypanosoma cruzi; Chagas' disease; Interleukin 2 (Tarleton, R. L., 229)
Immunosuppression
Donor-specific blood transfusion; Graft survival; Cyclophosphamide (Lasek, W., 357)
Immunotherapy
Allergen; Protein fragmentation; IgE; IgG; T lymphocytes (Cottam, G. P., 345)
In vitro cell culture
Macrophages; Sulfhydryl groups (Jókay, K., 217)
In vitro immunization
Xenotransplant-bearing mouse; Circulating tumor-associated antigen; Tumor-associated antigen-specific monoclonal antibody (Sproll, M. W., 29)
Insulin induced proliferation
Lymphocyte subclasses; IDDM (Scheinin, T., 273)
Interferon-β2
B cell stimulatory factor 2; Interleukin 6 (Hirano, T., 41)
Interferon gamma
Calcitriol; Immune response; Staphylococcal enterotoxin A; Lymphocytes (Muscettola, M., 121)
Interferon
Endothelium; TNF; IL-1; MHC class I; MHC class II (Male, D., 267)
Interferon
Natural killer cell; Class I MHC antigens (Reiter, Z., 323)
Interleukin 2 receptor
Human T cell clone; Antigen specificity; Differential regulation (Sia, D. Y., 13)
Interleukin 6
B cell stimulatory factor 2; Interferon-β2 (Hirano, T., 41)
Interleukin 2
Trypanosoma cruzi; Chagas' disease; Immunosuppression (Tarleton, R. L., 229)
Interleukin 2 receptor
Anti-Tac antibody; Propranolol; Beta-adrenoceptor antagonist (Malec, P., 319)
Interleukin 1 inhibitor
1α,25-Dihydroxycholecalciferol; Vitamin D_3 analogue; Interleukin 2 (Muller, K., 361)
Interleukin 2
1α,25-Dihydroxycholecalciferol; Vitamin D_3 analogue; Interleukin 1 inhibitor (Muller, K., 361)
Isotype diversity
B lymphocyte activation; Limiting dilution; High/low responders (Dosch, H.-M., 125)
Isotype restriction
Murine monoclonal IgM; Lysozyme loop peptide; ELISA assay (Verschoor, J. A., 21)

Jacalin
Lectin; T cell monoclonal antibodies (Gattass, C. R., 133)

Lectin
Jacalin; T cell monoclonal antibodies (Gattass, C. R., 133)
Leukocyte adherence inhibition
Cell-mediated immunity; Serum blocking factors; Protein A (Tsang, P. H., 63)
Limiting dilution
B lymphocyte activation; Isotype diversity; High-low responders (Dosch, H.-M., 125)
Linoleic acid
Dietary fat; T and B lymphocytes; Mice; Fatty acids (Tiwari, R. K., 151)
Lymphocytes
Calcitriol; Interferon gamma; Immune response; Staphylococcal enterotoxin A (Muscettola, M., 121)
Lymphocyte subsets
S. mansoni; Rats; Cyclosporin A (Thomson, A. W., 169)
Lymphocytes
Mouse; Peyer's patches; Monoclonal antibodies (Ermak, T. H., 205)
Lymphocyte subclasses
Insulin induced proliferation; IDDM (Scheinin, T., 273)
Lymphocyte
IL-2 production; IFN-α; IFN-β; IFN-γ (Ohno, Y., 339)
Lysozyme loop peptide
Murine monoclonal IgM; Isotype restriction; ELISA assay (Verschoor, J. A., 21)

MHC class I
Endothelium; Interferon; TNF; IL-1; MHC class II (Male, D., 267)
MHC class II
Endothelium; Interferon; TNF; IL-1; MHC class I (Male, D., 267)
MHC restriction
Neonatal tolerance; Minor histocompatibility antigens; Self-tolerance (Rayfield, R. S., 253)
MRL/1 mice
Dendritic cells; Antigen-presenting activity; Allogeneic mixed lymphocyte reaction (Akira, I., 223)
Macrophage-activating factors
ECM; Human embryo fibroblasts (Okai, Y., 145)
Macrophages
Sulfhydryl groups; In vitro cell culture (Jókay, K., 217)
Marginal zone macrophages
Spleen; Mice (Kraal, G., 139)
Maternal recognition
T cell; Abortion, spontaneous (Wegmann, T. G., 297)
Metastasis
H-2K transfection; Natural killer cells (Gopas, J., 261)
Mice
Marginal zone macrophages; Spleen (Kraal, G., 139)
Mice
Dietary fat; T and B lymphocytes; Linoleic acid; Fatty acids (Tiwari, R. K., 151)
Minor histocompatibility antigens
Neonatal tolerance; MHC restriction; Self-tolerance (Rayfield, R. S., 253)
Mitogenic lectins
Retroplacental lymphocytes; Proliferative response; Surface phenotype (Yoshida, M., 279)

Monoclonal antibodies
Cat allergens; Cat allergy (Duffort, O., 71)
Monoclonal antibody
Affinity; IgG subclasses (Phillips, D. J., 159)
Monoclonal antibodies
Mouse; Peyer's patches; Lymphocytes (Ermak, T. H., 205)
Monoclonal antibodies
Tumor necrosis factor; Peptides; ELISA; Endotoxic shock (Shimamoto, Y., 311)
Monoclonal antibodies
Gliadin; Celiac disease (Stoyanov, S., 335)
Mouse
Complement; B-chain of Clq; Signal peptide; EHS tumor; DNA sequencing (Wood, L., 59)
Mouse
Peyer's patches; Lymphocytes; Monoclonal antibodies (Ermak, T. H., 205)
Mouse
Dietary restriction; T cell functions (Hishinuma, K., 351)
Murine monoclonal IgM
Lysozyme loop peptide; Isotype restriction; ELISA assay (Verschoor, J. A., 21)

Natural killer cells
H-2K transfection; Metastasis (Gopas, J., 261)
Natural killer cell
Interferon; Class I MHC antigens (Reiter, Z., 323)
Neonatal tolerance
MHC restriction; Minor histocompatibility antigens; Self-tolerance (Rayfield, R. S., 253)
Neutrophil chemotaxis
Random and directed movements; Endotoxin (Bogar, L., 211)
Nonspecific cytotoxicity
ADCC; Ca^{2+} availability; Cytoskeleton; Phospholipases activation (Giordano, M., 109)
Nucleotide sequence
Cosmid library (Zong, S. Q., 329)

Peptides
Tumor necrosis factor; Monoclonal antibodies; ELISA; Endotoxic shock (Shimamoto, Y., 311)
Peripheral blood mononuclear cells
AIDS; AIDS related complex; CD1 phenotype (Chollet-Martin, S., 53)
Peyer's patches
Mouse; Lymphocytes; Monoclonal antibodies (Ermak, T. H., 205)
Phospholipases activation
Nonspecific cytotoxicity; ADCC; Ca^{2+} availability; Cytoskeleton (Giordano, M., 109)
Polymorphonuclear neutrophils
Tumor necrosis factor; Tumor cytostasis (Shau, H., 47)
Prediction of epitopes
Antigenicity of proteins; Hydrophilicity; Segmental mobility; Accessibility (Van Regenmortel, M. H. V., 95)
Primary biliary cirrhosis
Complement (Willson, R. A., 303)
Proliferative response
Retroplacental lymphocytes; Mitogenic lectins; Surface phenotype (Yoshida, M., 279)

Propranolol
Interleukin 2 receptor; Anti-Tac antibody; Beta-adrenoceptor antagonist (Malec, P., 319)
Prostaglandin E
Trauma; Trauma peptide; Immunosuppression (Ozkan, A. N., 79)
Protein A
Leukocyte adherence inhibition; Cell-mediated immunity; Serum blocking (Tsang, P. H., 63)
Protein fragmentation
Allergen; IgE; IgG; T lymphocytes; Immunotherapy (Cottam, G. P., 345)

Random and directed movements
Neutrophil chemotaxis; Endotoxin (Bogar, L., 211)
Rats
S. mansoni; Cyclosporin A; Lymphocyte subsets (Thomson, A. W., 169)
Retroplacental lymphocytes
Proliferative response; Mitogenic lectins; Surface phenotype (Yoshida, M., 279)
Ricin toxin
Hybrid antibody; Cytotoxicity; Survival time (Moţa, G., 177)

S. mansoni
Rats; Cyclosporin A; Lymphocyte subsets (Thomson, A. W., 169)
SLE
anti-DNA Antibody; Autoimmunity; Autoimmune disease; Autoantibodies; Idiotypes (Shoenfeld, Y., 285)
SPA-coated rosette assay
Tac antigen; Tonsil (Plum, J., 35)
Segmental mobility
Antigenicity of proteins; Prediction of epitopes; Hydrophilicity; Accessibility (Van Regenmortel, M. H. V., 95)
Self-tolerance
Neonatal tolerance; MHC restriction; Minor histocompatibility antigens (Rayfield, R. S., 253)
Serum blocking factors
Leukocyte adherence inhibition; Cell-mediated immunity; Protein A (Tsang, P. H., 63)
Signal peptide
Mouse; Complement; B-chain of Clq; EHS tumor; DNA sequencing (Wood, L., 59)
Spin label method
Immunoglobulin M; Carbohydrates (Timofeev, V. P., 173)
Spleen
Marginal zone macrophages; Mice (Kraal, G., 139)
Staphylococcal enterotoxin A
Calcitriol; Interferon gamma; Immune response; Lymphocytes (Muscettola, M., 121)
Sulfhydryl groups
Macrophages; In vitro cell culture (Jókay, K., 217)
Surface antigen
Filariasis; *Wuchereria bancrofti;* Diethylcarbamazine; Anti-drug antibody (Ravindran, B., 7)
Surface phenotype
Retroplacental lymphocytes; Proliferative response; Mitogenic lectins (Yoshida, M., 279)
Survival time
Ricin toxin; Hybrid antibody; Cytotoxicity (Moţa, G., 177)

Systemic lupus erythematosus (SLE)
Epstein-Barr virus (EBV); EBV nuclear antigen (EBNA) (Kitagawa, H., 249)

T and B lymphocytes
Dietary fat; Mice; Linoleic acid; Fatty acids (Tiwari, R. K., 151)
T cell
Maternal recognition; Abortion, spontaneous (Wegmann, T. G., 297)
T cell functions
Mouse; Dietary restriction (Hishinuma, K., 351)
T cell monoclonal antibodies
Jacalin; Lectin (Gattass, C. R., 133)
T lymphocytes
Allergen; Protein fragmentation; IgE; IgG; Immunotherapy (Cottam. G. P., 345)
T. cruzi
Immune clearance; Antibody Fc (Umekita, L. F., 85)
TNF
Endothelium; Interferon; IL-1; MHC class I; MHC class II (Male, D., 267)
Tac antigen
Tonsil; SPA-coated rosette assay (Plum, J., 35)
Tonsil
Tac antigen; SPA-coated rosette assay (Plum, J., 35)
Trauma
Trauma peptide; Immunosuppression; Prostaglandin E (Ozkan, A. N., 79)
Trauma peptide
Trauma; Immunosuppression; Prostaglandin E (Ozkan, A. N., 79)
Trypanosoma cruzi
Chagas' disease; Interleukin 2; Immunosuppression (Tarleton, R. L., 229)
Tumor cytostasis
Tumor necrosis factor; Polymorphonuclear neutrophils (Shau, J., 47)
Tumor necrosis factor
Polymorphonuclear neutrophils; Tumor cytostasis (Shau, H., 47)
Tumor necrosis factor
Monoclonal antibodies; Peptides; ELISA; Endotoxic shock (Shimamoto, Y., 311)
Tumor-associated antigen-specific monoclonal antibody
Xenotransplant-bearing mouse; Circulating tumor-associated antigen; In vitro immunization (Sproll, M. W., 29)

Vitamin D_3 analogue
1α,25-Dihydroxycholecalciferol; Interleukin 1 inhibitor; Interleukin 2 (Muller, K., 361)

Wuchereria bancrofti
Filariasis; Diethylcarbamazine; Anti-drug antibody; Surface antigen (Ravindran, B., 7)

Xenotransplant-bearing mouse
Circulating tumor-associated antigen; Tumor-associated antigen-specific monoclonal antibody; In vitro immunization (Sproll, M. W., 29)

AUTHOR INDEX

Anderer, R. A., see Sproll, M. W., 29
Aoki, N., see Ohno, Y., 339
Arnon, R., see Verschoor, J. A., 21
Arutiunian, A. E., see Timofeer, V. P., 173

Balint, J., see Willson, R. A., 303
Bancu, A., see Moţa, G., 177
Bar-Eli, M., see Gopas, J., 261
Bekesi, J. G., see Tsang, P. H., 63
Ben-Yehuda, O., see Shoenfeld, Y., 285
Bendtzen, K., see Muller, K., 361
Bentwitch, Z., see Shoenfeld, Y., 285
Bogar, L., Molnar, Zs. and Tekeres, M., A new simplified assay for evaluation of motile activity of human polymorphonuclear leucocytes, 211
Bollon, A., see Shimamoto, Y., 311
Borda, E., see Fink, S., 153
Brent, L., see Rayfield, L. S., 253
Bruderer, U. and Heusser, Ch., Regulation of immunoglobulin isotype expression in mice by antibodies in immune complexes, 235
Bunn-Moreno, M. M., see Gattass, C. R., 133

Carreira, J., see Duffort, O., 71
Chang, A., see Shimamoto, Y., 311
Chappell, L. H., see Thomson, A. W., 169
Chen, R. L., see Shimamoto, Y., 311
Chollet-Martin, S., Pialoux, G. and Gougerot-Pocidalo, M. A., Increased CD1-positive cells in peripheral blood of AIDS and ARC patients, 53
Cinader, B., see Tiwari, R. K., 151
Claassen, E., see Kraal, G., 139
Clandinin, M. T., see Tiwari, R. K., 151
Cook, R. M., see Cottam, G. P., 345
Cottam, G. P., Wheeler, A. W., Cook, R. M. and Moran, D. M., Immunological properties of chemically produced fragments of rye grass pollen extract, 345

Daney de Marcillac, G., see Van Regenmortel, M. H. V., 95
De Bracco, M. M. E., see Fink, S., 183
De Smedt, M., see Plum, J., 35
Dosch, H.-M., Osundwa, V. and Lam, P., Activation of human B lymphocytes by 8′ substituted guanosine derivatives, 125
Duffort, O., Carreira, J. and Lombardero, M., Monoclonal antibodies against *Fel d* I and other clinically relevant cat allergens, 71
Dörken, B., see Kiesel, S., 241

Ermak, T. H., Steger, H. J. and Heyworth, M. F., Generation of L3T4$^-$/Ly-2$^-$ cells in Peyer's patches of mice treated with monoclonal antibody against helper T cells, 205

Finiasz, M., see Fink, S., 183
Fiak, S., Finiasz, M., Sterin-Borda, L., Borda, E. and de Bracco, M. M. E., Interleuking 2 stimulates heart contractility in the presence of exogenous arachidonate or the calcium ionophore A 23187, 183
Fischer, D. G., see Reiter, Z., 323
Flory, J., see Tiwari, R. K., 151
Földes, I., see Jókay, I., 217
Frič, P., see Stoyanov, S., 335

Gadoth, N., see Shoenfeld, Y., 285
Gattass, C. R., Ghobrial, I. and Bunn-Moreno, M. M., Specific inhibition of OKT8 binding to peripheral blood mononuclear cells by jacalin, 133
Geffner, J. R., see Giordano, M., 109
Ghobrial, I., see Gattass, C. R., 133
Giordano, M., Geffner, J. R., Serebrinsky, G. P., Palermo, M. S., and Isturiz, M. A., Different requirements for the induction of antibody-dependent and immune complexes triggered cytotoxicity mediated by monocytes, 109
Goh, Y. K., see Tiwari, R. K., 151
Gopas, J., Segal, S., Hammerling, G., Bar-Eli, M. and Rager-Zisman, B., Influence of H-2K transfection of susceptibility of fibrosarcoma tumor cells to natural killer (NK) cells, 261
Górecki, D., see Lasek, W., 357
Gougerot-Pocidalo, M. A., see Chollet-Martin, S., 53
Grasso, G., see Muscettola, M., 121

Haas, R., see Kiesel, S., 241
Hammerling, G., see Gopas, J., 261
Hashimoto, Y., see Hishinuma, K., 351
Hekkens, W. Th. J. M., see Stoyanov, S., 335
Heusser, Ch., see Bruderer, U., 235
Heyman, B. and Pilström, L., Primary and secondary IgG are equally efficient immunosuppressors in relation to antigen binding capacity, 189
Heyworth, M F., see Ermak, T. H., 205
Hirano, T., Matsuda, T., Hosoi, K., Okano, A., Matsui, H. and Kishimoto, T., Absence of antiviral activity in recombinant B cell stimulatory factor 2 (BSF-2), 41
Hishinuma, K., Nishimura, T., Konno, A., Hashimoto, Y. and Kimura, S., The effect of dietary restriction on mouse T cell functions, 351

Ho Lee, K., see Zong, S. Q., 329
Holland, J. F., see Tsang, P. H., 63
Honjo, T., see Zong, S. Q., 329
Hoshino, T., see Kitagawa, H., 249
Hosoi, K., see Hirano, T., 41
Hoyt, D. B., see Nuri Ozkan, A., 79

Iho, S., see Kitagawa, H., 249
Imai, Y., see Ito, A., 223
Isenberg, D. I., see Shoenfeld, Y., 285
Isturiz, M. A., see Giordano, M., 109
Ito, A., Woo, H. J., Imai, Y. and Osawa, T., Functional deficiencies of spleen dendritic cells in autoimmune MRL/lpr mice, 223

Jakóbisiak, M., see Lasek, W., 357
Janse van Vuuren, K., see Verschoor, J. A., 21
Janse, M., see Kraal, G., 139
Jókay, I., Kelemenics, K. and Földes, I., Sulfhydryl groups generated by macrophages into the culture medium, 217

Kanzaki, H., see Yoshida, M., 279
Kasakura, S., see Yoshida, M., 279
Kelemenics, K., see Jókay, I., 217
Khan, A., see Shimamoto, Y., 311
Kiesel, S., Moldenhauer, G., Pezzutto, A., Haas, R. and Dörken, B., Complement-mediated cytolysis: quantification of B cell surface antigen molecules and role of cell cycle, 241
Kimura, S., see Hishinuma, K., 351
Kishimoto, T., see Hirano, T., 41
Kitagawa, H., Iho, S., Yokochi, T. and Hoshino, T., Detection of antibodies to the Epstein–Barr virus nuclear antigens in the sera from patients with systemic lupus erythematosus, 249
Kocna, P., see Stoyanov, S., 335
Konno, A., see Hishinuma, K., 351
Kraal, G., Janse, M. and Claassen, E., Marginal metallophilic macrophages in the mouse spleen: effects of neonatal injections of MOMA-1 antibody on the humoral immune response, 139
Krištofová, H., see Stoyanov, S., 335

Laky, M., see Moţa, G., 177
Lam, P., see Dosch, H.-M., 125
Lapuk, V. A., see Timofeer, V. P., 173
Lasek, W., Jakóbisiak, M., Płodziszewska, M., Szczytnicki, W. and Górecki, D., The role of drug timing and histoincompatibility barrier in the prolongation of cardiac graft survival in mice treated with donor-specific blood and cyclophosphamide, 357
Lombardero, M., see Duffort, O., 71

Maeda, M., see Ohno, Y., 339
Male, D. and Pryce, G., Synergy between interferons and monokines in MHC induction on brain endothelium, 267
Malec, P. and Nowak, Z., Propranolol enhances in vitro interleukin 2 receptor expression of human lymphocytes, 319
Matsuda, F., see Zong, S. Q., 329
Matsuda, T., see Hirano, T., 41
Matsui, H., see Hirano, T., 41
Messinger, Y., see Shoenfeld, Y., 285
Mitchell, M. D., see Nuri Ozkan, A., 79
Moldenhauer, G., see Kiesel, S., 241
Molnar, Zs., see Bogar, L., 211
Moran, D. M., see Cottam, G. P., 345
Moraru, I., see Moţa, G., 177
Mori, T., see Yoshida, M., 279
Mota, I., see Umekita, L. F., 85
Moţa, G., Nicolae, M., Laky, M., Bancu, A. and Moraru, I., In vivo follow up of the cytotoxic effect of ricin toxin vectorized by multivalent hybrid antibody on target cells, 177
Muller, K., Svenson, M. and Bendtzen, K., 1α,25-Dihydroxyvitamin D_3 and a novel vitamin D analogue MC 903 are potent inhibitors of human interleukin 1 in vitro, 361
Muscettola, M. and Grasso, G., Effect of 1,25-dihydroxyvitamin D_3 on interferon gamma production in vitro, 121

Nakahata, T., see Okai, Y., 1
Nakai, S., see Zong, S. Q., 329
Nicolae, M., see Moţa, G., 177
Ninnemann, J. L., see Nuri Ozkan, A., 79
Nishimura, T., see Hishinuma, K., 351
Nowak, Z., see Malec, P., 319
Nuri Ozkan, A., Hoyt, D. B., Ninnemann, J. L. and Mitchell, M. D., Trauma peptide-mediated prostaglandin E_2 biosynthesis: a potential mechanism for trauma-induced immunosuppression, 79

Ohno, Y., Aoki, N. and Maeda, M., Effects of natural human interferon-α, -β and -γ on interleukin 2 production in human peripheral lymphocytes, 339
Okai, Y. and Nakahata, T., Identification of colony-forming activities of various hemopoietic cells in the serum-free medium of a human embryo fibroblast cell strain, 1
Okai, Y., Heterogenous macrophage-activating factors from extracellular matrix of human embryo fibroblasts, 145
Okano, A., see Hirano, T., 41
Osawa, T., see Ito, A., 223
Osundwa, V., see Dosch, H.-M., 125

Paes de Andrade, P., see Tarleton, R. L., 229
Palermo, M. S., see Giordano, M., 109
Pattnaik, N. M., see Ravindran, B., 7
Pecht, I., see Verschoor, J. A., 21
Pezzutto, A., see Kiesel, S., 241
Phillips, D. J., Wells, T. W. and Reimer, C. B., Estimation of association constants of 42 monoclonal antibodies to human IgG epitopes using a fluorescent sequential-saturation assay, 159
Pialoux, G., see Chollet-Martin, S., 53
Pilström, L., see Heyman, B., 189

Plum, G., van Cauwenberge, P. and De Smedt, M., Detection of IL-2 receptor positive tonsillar lymphocytes by monoclonal antibody and protein A coated erythrocytes, 35
Płodziszewska, M., see Lasek, W., 357
Pryce, G., see Male, D., 267
Pulaski, S., see Wood, L., 59

Rager-Zisman, B., see Gopas, J., 261
Rauch, J., see Shoenfeld, Y., 285
Ravindran, B., Satapathy, A. K. and Pattnaik, N. M., Antibodies to diethylcarbamazine cross-react with microfilariae of *Wuchereria bancrofti*, 7
Rayfield, L. S., Brent, L. and Samuel, K., Tolerance to minor histocompatibility antigens, 253
Reimer, C. B., see Phillips, D. J., 159
Reiter, Z., Fischer, D. G. and Rubinstein, M., The protective effect of interferon against natural killing activity is not mediated via the expression of class I MHC antigens, 323
Roboz, J. P., see Tsang, P. H., 63
Royal de Andrade, C., see Tarleton, R. L., 229
Rubinstein, M., see Reiter, Z., 323

Samuel, K., see Rayfield, L. S., 253
Satapathy, A. K., see Ravindran, B., 7
Sato, S., see Yoshida, M., 279
Scheinin, T., Characteristics of blood cells responding to insulin in children with insulin-dependent diabetes, 273
Segal, S., see Gopas, J., 261
Serebrinsky, G. P., see Giordano, M., 109
Shau, J., Cytostatic and tumoricidal activities of tumor necrosis factor-treated neutrophils, 47
Shimamoto, Y., Chen, R. L., Bollon, A., Chang, A. and Khan, A., Monoclonal antibodies against human recombinant tumor necrosis factor: prevention of endotoxic shock, 311
Shoenfeld, Y., Ben-Yehuda, O., Messinger, Y., Bentwitch, Z., Rauch, J., Isenberg, D. I. and Gadoth, N., Autoimmune diseases other than lupus share common anti-DNA idiotypes, 285
Sia, D. Y., Differential regulation of interleukin 2 (IL-2) receptor expression of antigen-specific human T cell clones by IL-2, 13
Spindler, E., see Sproll, M. W., 29
Sproll, M. W., Spindler, E. and Anderer, R. A., Monoclonal antibodies produced by in vitro immunization with sera of human-xenotransplant-bearing mice, 29
Steger, H. J., see Ermak, T. H., 205
Steinman, R. M., Cytokines amplify the function of accessory cells, 197
Sterin-Borda, L., see Fink, S., 183
Stoyanov, S., Tlaskalová-Hogenová, H., Kocna, P., Krištofová, H., Frič, P. and Hekkens, W. Th. J. M., Monoclonal antibodies reacting with gliadin as tools for assessing antigenic structure responsible for exacerbation of celiac disease, 335
Svenson, M., see Muller, K., 361
Szczytnicki, W., see Lasek, W., 357

Takehara, H. A., see Umekita, L. F., 85
Tarleton, R. L., Paes de Andrade, P. and Royal de Andrade, C., Interleukin 2 production in patients with Chagas's disease: correlation with anti-parasite antibody responses, 229
Tekeres, M., see Bogar, L., 211
Thomson, A. W. and Chappell, L. H., Immunophenotypic analysis of blood and spleen lymphocyte subsets in rats protected against schistosomiasis by cyclosporin A, 169
Timofeer, V. P., Lapuk, V. A., Tchukrova, A. I. and Arutiunian, A. E., Selective spin-labelling of an *N*-acetylneuraminic acid residue in the Fab-region oligosaccharide of immunoglobulin M, 173
Tiwari, R. K., Venkatraman, J. T., Cinader, B., Flory, J., Wierzbicki, A., Goh, Y. K. and Clandinin, M. T., Influence of genotype on the phospholipid fatty acid composition of splenic T and B lymphocytes in MRL/MPJ−1pr mice, 151
Tlaskalová-Hogenová, H., see Stoyanov, S., 335
Toskushige, M., see Yoshida, M., 279
Tchukhrova, A. I., see Timofeer, V. P., 173
Tsang, P. H., Roboz, J. P., Holland, J. F. and Bekesi, J. G., Effector lymphocyte response to homologous tumor antigens in various stages of malignant disease as monitored by leukocyte adherence inhibition-cell mediated immunity (LAI−CMI), 63

Uchide, A., see Yoshida, M., 279
Umekita, L. F., Takehara, H. A. and Mota, I., Role of the antibody Fc in the immune clearance of *Trypanosoma cruzi*, 85

Van Cauwenberge, P., see Plum, J., 35
Van Regenmortel, M. H. V. and Daney de Marcillac, G., An assessment of prediction methods for locating continuous epitopes in proteins, 95
Venkatraman, J. T., see Tiwari, R. K., 151
Verschoor, J. A., Janse van Vuuren, K., Visser, L., Pecht, I. and Arnon, R., Isotype restriction of murine antibodies towards the loop region of hen's egg white lysozyme, 21
Visser, L., see Verschoor, J. A., 21
Vogeli, G., see Wood, L., 59

Wang, H.-S., see Yoshida, M., 279
Wegmann, T. G., Maternal T cells promote placental growth and prevent spontaneous abortion, 297
Wells, T. W., see Phillips, D. J., 159
Wheeler, A. W., see Cottam, G. P., 345
Wierzbicki, A., see Tiwari, R. K., 151
Willson, R. A. and Balint, J., Preliminary studies on the detection, isolation and partial characterization of Clq-containing IgM immune complexes in sera of patients with primary biliary cirrhosis, 303
Woo, H. J., see Ito, A., 223
Wood, L., Pulaski, S. and Vogeli, G., cDNA clones coding for the complete murine B chain of complement Clq: nucleotide and derived amino acid sequences, 59

Yokochi, T., see Kitagawa, H., 249
Yoshida, M., Kanzaki, H., Tokushige, M., Sato, S., Wang, H.-S., Uchide, A., Kasakura, S. and Mori, T., Hyporeactivity to mitogens of retroplacental blood lymphocytes in human pregnancy, 279
Zong, S. Q., Nakai, S., Matsuda, F., Ho Lee, K. and Honjo, T., Human immunoglobulin D segments: isolation of a new D segment and polymorphic deletion of the D_1 segment, 329